

БЫТОВЫЕ СПЛИТ СИСТЕМЫ

СЕРИЯ START



Бытовые кондиционеры серии Start не только multifunctional, they also have a wide model range. Each model has a compact indoor unit, which can complement any interior and transform the space with its beautiful external appearance and modern design. Split systems of the Start series are equipped with reliable compressors and have high energy efficiency.

от 2,2 до 7,2 кВт

Гарантия 3 года



Беспроводной пульт ДУ (в комплекте)



Баннер



Инструкция



Сертификат EAC

Функции:



Функция само-диагностики



2 активных угольных фильтра



Автоматический перезапуск



Эргономичный дизайн



Горячий запуск



Скрытый LED дисплей



Ионизатор



Энерго-эффективность класса A

Модель			RAS/RAC-08NTS	RAS-/RAC-10NTS	RAS/RAC-14NTS	RAS/RAC-18NTS	RAS/RAC-24NTS
Электропитание	Ф/В/Гц		~1/220-240/50				
Тип хладагента	Фреон		R410a				
Производительность	Охлаждение	кВт	2,26	2,68	3,62	5,48	7,28 (24)
	Обогрев		2,36	2,94	3,82	5,68	7,68 (24,5)
Потребляемая мощность	Охлаждение		0,64	0,77	0,99	1,49	1,99
	Обогрев		0,61	0,755	0,98	1,47	1,98
Осушение		л/ч	0,8	1,0	1,2	2,0	2,2
Компрессор	Марка		Rechi	Rechi	Rechi	Rechi	Highly
Номинальный ток	Охл./обогр	А	3.0/2.8	3.8/3.6	5.1/4.7	7.6/7.0	10.1/9.2
Диапазон рабоч. температур	Охл./обогр.	°С	0~43°/- 7~24				
Уровень шума	Внутр., Н/М/Л	дБ(А	30/27/21	30/27/21	32/28/24	42/35/28	42/35/28
	Наружный	дБ(А)	48	50	53	56	58
Вес нетто	Внутренний	кг	6	6	7	10	10
	Наружный		20	21	27	34	45
Вес брутто	Внутренний		8	8	9	13	13
	Наружный		22	23	29	37	48
Размеры блока (Ш*Г*В)	Внутренний	мм	698x190x255	698x190x255	777x205x250	910x205x292	910x205x292
	Наружный		600x232x500	600x232x500	700x256x552	760x256x552	820*300*605
Диаметр трубок	Жидкостная	дюйм	1/4	1/4	1/4	1/4	1/4
	Газовая		3/8	3/8	3/8	1/2	5/8
	Дренажная	мм	16	16	16	16	16
Длина трассы/перепад по высоте		м	15/7	15/7	15/7	20/8	20/8

* Дополнительная установка низкотемпературного комплекта позволяет эксплуатировать систему в режиме охлаждения при температуре воздуха снаружи до -43°(серия Winter Mate).