

INVERTER MULTI-SYSTEMS: Indoor units

SEIYA Classic 2



- › CLASSIC Line compact inverter
- › Dust filter
- › WiFi module optional



SEIYA



INDOOR UNIT			RAS-B07B2KVG-E2	RAS-B10B2KVG-E2	RAS-B13B2KVG-E2	RAS-B16B2KVG-E2	RAS-B18B2KVG-E2	RAS-B24B2KVG-E2
Cooling capacity	kW		2,00	2,50	3,30	4,20	5,00	6,50
Sound pressure level (low/med/high)	dB(A)		19/-/-/40	19/-/-/42	20/-/-/43	22/-/-/45	26/-/-/47	29/-/-/48
Heating capacity	kW		2,50	3,20	3,60	5,00	5,40	7,00
Sound pressure level (low/med/high)	dB(A)		19/-/-/39	20/-/-/41	20/-/-/42	23/-/-/44	26/-/-/48	29/-/-/48
Airflow	m³/h		200-500	230-630	230-630	330-780	480-820	660-1100
Dimensions (HxWxD)	mm		288 x 770 x 225	288 x 770 x 225	288 x 770 x 225	293 x 798 x 230	293 x 798 x 230	320x1050x250
Weight	kg		9	9	9	9	9	13
Price	€		320,-	320,-	330,-	370,-	430,-	510,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
Remote control	Infrared remote control included	✓	

SEIYA



- › BASIC Line compact inverter
- › Dust filter and ultra fresh filter
- › WiFi module optional



SEIYA



INDOOR UNIT			RAS-B07E2KVG-E	RAS-B10E2KVG-E	RAS-B13E2KVG-E	RAS-B16E2KVG-E	RAS-B18E2KVG-E	RAS-B24E2KVG-E
Cooling capacity	kW		2,00	2,50	3,30	4,20	5,00	6,50
Sound pressure level (low/med/high)	dB(A)		19/-/-/38	19/-/-/39	20/-/-/41	21/-/-/43	26/-/-/47	29/-/-/48
Heating capacity	kW		2,50	3,20	3,60	5,00	5,40	7,00
Sound pressure level (low/med/high)	dB(A)		19/-/-/38	20/-/-/39	20/-/-/42	22/-/-/43	26/-/-/48	29/-/-/48
Airflow	m³/h		500	510	560	760	840	1070
Dimensions (HxWxD)	mm		288 x 770 x 225	288 x 770 x 225	288 x 770 x 225	293 x 798 x 230	293 x 798 x 230	320 x 1050 x 250
Weight	kg		9	9	9	9	9	15
Price	€		380,-	390,-	400,-	420,-	500,-	610,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
Remote control	Infrared remote control included	✓	

You will find the accessories on page 33.

SHORAI Edge White



- › HIGH Line allrounder with design and function update
- › High efficiency: energy class A+++
- › Clean air: dust filter & ultra pure filter
- › APP control: WiFi module integrated as standard



SHORAI
EDGE

INDOOR UNIT			RAS-B07G3KVSG-E	RAS-B10G3KVSG-E	RAS-B13G3KVSG-E	RAS-B16G3KVSG-E	RAS-B18G3KVSG-E	RAS-B22G3KVSG-E	RAS-B24G3KVSG-E
Cooling capacity	kW	❄️	2,00	2,50	3,50	4,60	5,00	6,10	7,00
Sound pressure level (low/med/high)	dB(A)	❄️	19/22/40	19/22/40	19/23/43	21/25/44	26/31/44	27/34/45	28/35/47
Heating capacity	kW	🔥	2,50	3,20	4,20	5,50	6,00	7,00	8,00
Sound pressure level (low/med/high)	dB(A)	🔥	19/23/40	19/23/40	19/23/43	22/26/44	26/31/44	27/34/46	28/35/48
Airflow	m³/h		660	660	732	750	990	1032	1122
Dimensions (HxWxD)	mm		293 x 800 x 226	293 x 800 x 226	293 x 800 x 226	293 x 800 x 226	320 x 1053 x 245	320 x 1053 x 245	320 x 1053 x 245
Weight	kg		10	10	10	10	14	14	14
Price	€		690,-	695,-	745,-	800,-	850,-	975,-	1.140,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
Remote control	Infrared remote control included	✓	

SHORAI Edge Black



- › HIGH Line allrounder with design and function update
- › High efficiency: energy class A+++
- › Clean air: dust filter & ultra pure filter
- › APP control: WiFi module integrated as standard



SHORAI
EDGE BLACK

INDOOR UNIT			RAS-B10G3KVSG-B-E	RAS-B13G3KVSG-B-E	RAS-B16G3KVSG-B-E	RAS-B18G3KVSG-B-E	RAS-B22G3KVSG-B-E	RAS-B24G3KVSG-B-E
Cooling capacity	kW	❄️	2,50	3,50	4,60	5,00	6,10	7,00
Sound pressure level (low/med/high)	dB(A)	❄️	19/22/40	19/23/43	21/25/44	26/31/44	27/34/45	28/35/47
Heating capacity	kW	🔥	3,20	4,20	5,50	6,00	7,00	8,00
Sound pressure level (low/med/high)	dB(A)	🔥	19/23/40	19/23/43	22/26/44	26/31/44	27/34/46	28/35/48
Airflow	m³/h		660	732	750	990	1032	1122
Dimensions (HxWxD)	mm		293 x 800 x 226	293 x 800 x 226	293 x 800 x 226	320 x 1053 x 245	320 x 1053 x 245	320 x 1053 x 245
Weight	kg		10	10	10	14	14	14
Price	€		780,-	830,-	920,-	980,-	1.120,-	1.320,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
Remote control	Infrared remote control included	✓	

You will find the accessories on page 33.

HAORI



- > Design unit with innovative textile cover
- > Dust filter, ozone air purifier, and ultra pure filter
- > WiFi module integrated as standard



INDOOR UNIT		RAS-B10N4KVRG-E1	RAS-B13N4KVRG-E	RAS-B16N4KVRG-E
Cooling capacity	kW ❄️	2,50	3,50	4,60
Sound pressure level (low/med/high)	dB(A) ❄️	19/-/41	19/-/43	21/-/45
Heating capacity	kW 🔥	3,20	4,20	5,50
Sound pressure level (low/med/high)	dB(A) 🔥	19/-/41	19/-/43	22/-/45
Airflow	m³/h	300/610	320/670	360/730
Dimensions (HxWxD)	mm	300 x 987 x 210	300 x 987 x 210	300 x 987 x 210
Weight	kg	11	11	12
Price	€	880,-	960,-	1.015,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
RB-RXS34-E	Design infrared remote control, black, with magnetic holder	✓	
RB-I4101-E	Fabric cover Dark Gray enclosed	✓	
RB-I4102-E	Fabric cover Light Gray enclosed	✓	
RB-I4103-E	Fabric cover Bluish Gray		125,-
RB-I4104-E	Fabric cover Gray Beige		125,-
RB-I4105-E	Fabric cover Dark Brown		125,-
RB-I4106-E	Fabric cover Emerald Blue		125,-

DAISEIKAI 10 White



- > PREMIUM Line in white plastic design
- > Dust filter, ultra pure filter, plasma filter with ionizer
- > WiFi module integrated as standard



INDOOR UNIT		RAS-B10S4KVPG-E	RAS-B13S4KVPG-E	RAS-B18S4KVPG-E
Cooling capacity	kW ❄️	2,50	3,50	5,00
Sound pressure level (low/med/high)	dB(A) ❄️	24/-/40	26/-/41	25/-/44
Heating capacity	kW 🔥	3,20	4,00	6,00
Sound pressure level (low/med/high)	dB(A) 🔥	25/-/41	24/-/42	26/-/45
Airflow	m³/h	300-700	330-750	350-800
Dimensions (HxWxD)	mm	293 x 930 x 255	293 x 930 x 255	293 x 930 x 255
Weight	kg	14	14	14
Price	€	1.050,-	1.150,-	1.350,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
Remote control	Infrared remote control included	✓	

DAISEIKAI 10 Wood



- PREMIUM Line in ash wood design (WOOD)
- Dust filter, ultra pure filter, plasma filter with ionizer
- WiFi module integrated as standard



DAISEIKAI



INDOOR UNIT			RAS-B10S4KVDG-E	RAS-B13S4KVDG-E	RAS-B18S4KVDG-E
Cooling capacity	kW	❄️	2,50	3,50	5,00
Sound pressure level (low/med/high)	dB(A)	❄️	24/-/-/40	26/-/-/41	25/-/-/44
Heating capacity	kW	🔥	3,20	4,00	6,00
Sound pressure level (low/med/high)	dB(A)	🔥	25/-/-/41	24/-/-/42	26/-/-/45
Airflow	m³/h		300-700	330-750	350-800
Dimensions (HxWxD)	mm		293 x 940 x 257	293 x 940 x 257	293 x 940 x 257
Weight	kg		16	16	16
Price	€		1.250,-	1.400,-	1.650,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
Remote control	Infrared remote control included	✓	

You will find the accessories on page 33.

Console



- Bi-flow console with variable air outlet
- Large-area dust filter and IAQ filter
- Prepared for optional leak detection



INDOOR UNIT			RAS-B10J2FVG-E	RAS-B13J2FVG-E	RAS-B18J2FVG-E
Cooling capacity	kW	❄️	2,50	3,50	5,00
Sound pressure level (low/med/high)	dB(A)	❄️	26/32/39	27/33/40	34/40/46
Heating capacity	kW	🔥	3,20	4,20	6,00
Sound pressure level (low/med/high)	dB(A)	🔥	26/32/39	27/33/40	34/40/47
Airflow	m³/h		258/492	270/528	366/600
Dimensions (HxWxD)	mm		600 x 700 x 220	600 x 700 x 220	600 x 700 x 220
Weight	kg		16	16	16
Price	€		1.160,-	1.270,-	1.530,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
Remote control	Infrared remote control included	✓	

1-Way Cassette



- > 30 mm flat design panel
- > Minimal installation height of only 150 mm
- > Integrated drain pump
 - > Accessories required: remote control + panel



INDOOR UNIT			RAS-M10G3YVG-E	RAS-M13G3YVG-E	RAS-M16G3YVG-E	RAS-M24G3YVG-E
Cooling capacity	kW		2,50	3,60	4,60	7,00
Sound pressure level (low/med/high)	dB(A)		39/48/52	39/49/53	33/36/39	50/55/59
Heating capacity	kW		3,20	4,00	5,50	8,00
Sound pressure level (low/med/high)	dB(A)		39/48/52	39/49/53	33/36/39	50/55/59
Airflow	m³/h		520/420/310	520/420/310	750/630/500	940/760/600
Dimensions (HxWxD)	mm		150 x 990 x 450	150 x 990 x 450	150 x 1180 x 450	150 x 1180 x 450
Weight	kg		13	13	14	15
Panel dimensions (HxWxD)	mm		30 x 1190 x 520	30 x 1190 x 520	30 x 1410 x 530	30 x 1410 x 530
Panel weight	kg		3	3	3	3
Price	€		1.300,-	1.400,-	1.450,-	1.740,-

ACCESSORIES	DESCRIPTION	PRICE €
RBC-UY32P-E	Panel for small chassis (990 mm)	555,-
RBC-UY42P-E	Panel for big chassis (1180 mm)	580,-
RBC-ASCU32Y-E	Compact wired remote control with sensor buttons	100,-
RBC-AMTU31-E	Standard Wired Remote Control	150,-
RBC-AMSU52-E	Wired comfort remote control PLUS	205,-
RBC-AWSU52-E	Wired comfort remote control PLUS BT	225,-
RBC-AX33UYP-E	Infrared remote control + receiver kit for installation in 1-way cassette	80,-
BMS-IWF0010UCP-E	WiFi 1:1 interface for mobile control via smartphone or tablet	180,-
TCB-EAPC1UYHP-E	PURE Plasmafilter Kit for 1-way FLAT cassette	300,-
TCB-SIR41UYP-E	Occupancy sensor kit for installation in 1-way FLAT cassette	120,-

You will find the accessories on page 33.



60x60 Slim Cassette



- › Euro-grid cassette with 360° air distribution & presence sensor option
- › Slim design panel with individual airflow patterns
- › Large-area dust filter
- › Accessories required: remote control + panel



INDOOR UNIT		RAS-M10S4MUVG-E	RAS-M13S4MUVG-E	RAS-M16S4MUVG-E
Cooling capacity	kW ❄️	2,70	3,70	4,50
Sound pressure level (low/med/high)	dB(A) ❄️	30/33/37	33/35/39	33/37/41
Heating capacity	kW 🔥	4,00	5,00	5,50
Sound pressure level (low/med/high)	dB(A) 🔥	30/33/37	33/35/39	33/37/41
Airflow	m³/h	420/590/590	470/520/620	470/580/660
External static pressure	Pa	-	-	-
Dimensions (HxWxD)	mm	256 x 575 x 575	256 x 575 x 575	256 x 575 x 575
Weight	kg	16	16	16
Price	€	1.215,-	1.285,-	1.325,-

ACCESSORIES	DESCRIPTION	PRICE €
RBC-UM21P-E	Panel WHITE for 60x60 slim cassette	410,-
RBC-UM21PB-E	Panel BLACK for 60x60 slim cassette	430,-
RBC-ASCU32Y-E	Compact wired remote control with sensor buttons	100,-
RBC-AMTU31-E	Standard Wired Remote Control	150,-
RBC-AMSU52-E	Wired comfort remote control PLUS	205,-
RBC-AWSU52-E	Wired comfort remote control PLUS BT	225,-
RBC-AXU31UMP-E	Infrared remote control + receiver kit WHITE for installation in 60x60 slim cassette	170,-
RBC-AXU31UMPB-E	Infrared remote control + receiver kit BLACK for installation in 60x60 slim cassette	190,-
BMS-IWF0010UCP-E	WiFi 1:1 interface for mobile control via smartphone or tablet	180,-
TCB-SIR41UMP-E	Occupancy sensor kit WHITE for installation in 60x60 slim cassette	120,-

You will find the accessories on page 33.

Duct unit



- › Minimal installation height of just 210 mm
- › External static pressure adjustable up to 45 Pa
- › Drain pump included



INDOOR UNIT		RAS-M10U2DVG-E	RAS-M13U2DVG-E	RAS-M16U2DVG-E	RAS-M22U2DVG-E	RAS-M24U2DVG-E
Cooling capacity	kW ❄️	2,70	3,70	4,50	6,00	7,00
Sound pressure level (low/med/high)	dB(A) ❄️	27/35	27/37	24/35	32/38	33/39
Heating capacity	kW 🔥	4,00	5,00	5,50	7,00	8,00
Sound pressure level (low/med/high)	dB(A) 🔥	27/35	27/37	25/35	32/38	33/39
Airflow	m³/h	570	610	780	1000	1060
Dimensions (HxWxD)	mm	210 x 700 x 450	210 x 700 x 450	210 x 900 x 450	210 x 1100 x 450	210 x 1100 x 450
Weight	kg	16	16	19	22	22
Price	€	1.360,-	1.380,-	1.480,-	1.720,-	1.740,-

ACCESSORIES	DESCRIPTION	INCLUDED	PRICE €
Remote control	Infrared remote control included	✓	
RB-RWS21-E	Wired remote control with weekly timer		330,-

You will find the accessories on page 33.